

Vertebral Augmentation Bibliography

1. Gold DT. The nonskeletal consequences of osteoporotic fractures. Psychologic and social outcomes. *Rheum Dis Clin North Am.* 2001;27(1):255-262. <https://www.ncbi.nlm.nih.gov/pubmed/11285999>
2. Voormolen MH, Mali WP, Lohle PN, et al. Percutaneous vertebroplasty compared with optimal pain medication treatment: short-term clinical outcome of patients with subacute or chronic painful osteoporotic vertebral compression fractures. The VERTOS study. *AJNR Am J Neuroradiol.* 2007;28(3):555-560. <https://www.ncbi.nlm.nih.gov/pubmed/17353335>
<http://www.ajnr.org/content/ajnr/28/3/555.full.pdf>
3. Bailey CS, Dvorak MF, Thomas KC, et al. Comparison of thoracolumbosacral orthosis and no orthosis for the treatment of thoracolumbar burst fractures: interim analysis of a multicenter randomized clinical equivalence trial. *J Neurosurg Spine.* 2009;11(3):295-303.
<https://www.ncbi.nlm.nih.gov/pubmed/19769510>
<https://thejns.org/spine/view/journals/j-neurosurg-spine/11/3/article-p295.xml>
4. Buchbinder R, Osborne RH, Ebeling PR, et al. A randomized trial of vertebroplasty for painful osteoporotic vertebral fractures. *N Engl J Med.* 2009;361(6):557-568.
<https://www.ncbi.nlm.nih.gov/pubmed/19657121>
5. Gray LA, Kallmes DF. A pilot study of the use of pain questionnaires in vertebroplasty research. *AJNR Am J Neuroradiol.* 2009;30(7):1364-1365. <https://www.ncbi.nlm.nih.gov/pubmed/19279280>
<http://www.ajnr.org/content/ajnr/30/7/1364.full.pdf>
6. Kallmes D, Buchbinder R, Jarvik J, et al. Response to "randomized vertebroplasty trials: bad news or sham news?". *AJNR Am J Neuroradiol.* 2009;30(10):1809-1810.
<https://www.ncbi.nlm.nih.gov/pubmed/19815617>
<http://www.ajnr.org/content/ajnr/30/10/1809.full.pdf>
7. Kallmes DF, Comstock BA, Heagerty PJ, et al. A randomized trial of vertebroplasty for osteoporotic spinal fractures. *N Engl J Med.* 2009;361(6):569-579. <https://www.ncbi.nlm.nih.gov/pubmed/19657122>
<https://www.nejm.org/doi/pdf/10.1056/NEJMoa0900563>
8. Wardlaw D, Cummings SR, Van Meirhaeghe J, et al. Efficacy and safety of balloon kyphoplasty compared with non-surgical care for vertebral compression fracture (FREE): a randomised controlled trial. *Lancet.* 2009;373(9668):1016-1024. <https://www.ncbi.nlm.nih.gov/pubmed/19246088>
[https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(09\)60010-6/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(09)60010-6/fulltext)
9. Weinstein JN. Balancing science and informed choice in decisions about vertebroplasty. *N Engl J Med.* 2009;361(6):619-621. <https://www.ncbi.nlm.nih.gov/pubmed/19657127>
10. Brinjikji W, Comstock BA, Gray L, Kallmes DF. Local Anesthesia with Bupivacaine and Lidocaine for Vertebral Fracture trial (LABEL): a report of outcomes and comparison with the Investigational Vertebroplasty Efficacy and Safety Trial (INVEST). *AJNR Am J Neuroradiol.* 2010;31(9):1631-1634.
<https://www.ncbi.nlm.nih.gov/pubmed/20522567>
<http://www.ajnr.org/content/ajnr/31/9/1631.full.pdf>
11. Klazen CA, Lohle PN, de Vries J, et al. Vertebroplasty versus conservative treatment in acute osteoporotic vertebral compression fractures (Vertos II): an open-label randomised trial. *Lancet.* 2010;376(9746):1085-1092. <https://www.ncbi.nlm.nih.gov/pubmed/20701962>
[https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(10\)60954-3/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(10)60954-3/fulltext)
12. Liu JT, Liao WJ, Tan WC, et al. Balloon kyphoplasty versus vertebroplasty for treatment of osteoporotic vertebral compression fracture: a prospective, comparative, and randomized clinical study. *Osteoporos Int.* 2010;21(2):359-364. <https://www.ncbi.nlm.nih.gov/pubmed/19513578>
<https://link.springer.com/article/10.1007%2Fs00198-009-0952-8>
13. Esses SI, McGuire R, Jenkins J, et al. The treatment of symptomatic osteoporotic spinal compression fractures. *J Am Acad Orthop Surg.* 2011;19(3):176-182.
<https://www.ncbi.nlm.nih.gov/pubmed/21368099>
14. Esses SI, McGuire R, Jenkins J, et al. American Academy of Orthopaedic Surgeons clinical practice guideline on: the treatment of osteoporotic spinal compression fractures. *J Bone Joint Surg Am.* 2011;93(20):1934-1936. <https://www.ncbi.nlm.nih.gov/pubmed/22012531>
15. Manchikanti L, Giordano J, Fellows B, Hirsch JA. Placebo and nocebo in interventional pain management: a friend or a foe--or simply foes? *Pain Physician.* 2011;14(2):E157-175.
<https://www.ncbi.nlm.nih.gov/pubmed/21412379>

16. McGuire R. AAOS Clinical Practice Guideline: the Treatment of Symptomatic Osteoporotic Spinal Compression Fractures. *J Am Acad Orthop Surg.* 2011;19(3):183-184.
<https://www.ncbi.nlm.nih.gov/pubmed/21368100>
17. Wilson DJ, Owen S, Corkill RA. Facet joint injections as a means of reducing the need for vertebroplasty in insufficiency fractures of the spine. *Eur Radiol.* 2011;21(8):1772-1778.
<https://www.ncbi.nlm.nih.gov/pubmed/21487701>
<https://link.springer.com/article/10.1007%2Fs00330-011-2115-5>
18. Papanastassiou ID, Phillips FM, Van Meirhaeghe J, et al. Comparing effects of kyphoplasty, vertebroplasty, and non-surgical management in a systematic review of randomized and non-randomized controlled studies. *Eur Spine J.* 2012;21(9):1826-1843.
<https://www.ncbi.nlm.nih.gov/pubmed/22543412>
19. Shi MM, Cai XZ, Lin T, Wang W, Yan SG. Is there really no benefit of vertebroplasty for osteoporotic vertebral fractures? A meta-analysis. *Clin Orthop Relat Res.* 2012;470(10):2785-2799.
<https://www.ncbi.nlm.nih.gov/pubmed/22729693>
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3442000/pdf/11999_2012_Article_2404.pdf
20. Venmans A, Klazen CA, Lohle PN, Mali WP, van Rooij WJ. Natural history of pain in patients with conservatively treated osteoporotic vertebral compression fractures: results from VERTOS II. *AJR Am J Neuroradiol.* 2012;33(3):519-521. <https://www.ncbi.nlm.nih.gov/pubmed/22116114>
<http://www.ajnr.org/content/ajnr/33/3/519.full.pdf>
21. Anselmetti GC, Bernard J, Blattner T, et al. Criteria for the appropriate treatment of osteoporotic vertebral compression fractures. *Pain Physician.* 2013;16(5):E519-530.
<https://www.ncbi.nlm.nih.gov/pubmed/24077202>
22. Chen AT, Cohen DB, Skolasky RL. Impact of nonoperative treatment, vertebroplasty, and kyphoplasty on survival and morbidity after vertebral compression fracture in the medicare population. *J Bone Joint Surg Am.* 2013;95(19):1729-1736. <https://www.ncbi.nlm.nih.gov/pubmed/24088964>
23. Comstock BA, Sitlani CM, Jarvik JG, Heagerty PJ, Turner JA, Kallmes DF. Investigational vertebroplasty safety and efficacy trial (INVEST): patient-reported outcomes through 1 year. *Radiology.* 2013;269(1):224-231. <https://www.ncbi.nlm.nih.gov/pubmed/23696683>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3781356/pdf/120821.pdf>
24. Barr JD, Jensen ME, Hirsch JA, et al. Position statement on percutaneous vertebral augmentation: a consensus statement developed by the Society of Interventional Radiology (SIR), American Association of Neurological Surgeons (AANS) and the Congress of Neurological Surgeons (CNS), American College of Radiology (ACR), American Society of Neuroradiology (ASNR), American Society of Spine Radiology (ASSR), Canadian Interventional Radiology Association (CIRA), and the Society of NeuroInterventional Surgery (SNIS). *J Vasc Interv Radiol.* 2014;25(2):171-181.
<https://www.ncbi.nlm.nih.gov/pubmed/24325929>
[https://www.jvir.org/article/S1051-0443\(13\)01487-5/pdf](https://www.jvir.org/article/S1051-0443(13)01487-5/pdf)
25. Chandra RV, Meyers PM, Hirsch JA, et al. Vertebral augmentation: report of the Standards and Guidelines Committee of the Society of NeuroInterventional Surgery. *J Neurointerv Surg.* 2014;6(1):7-15. <https://www.ncbi.nlm.nih.gov/pubmed/24198272>
<https://inis.bmjjournals.org/content/neurintsurg/6/1/7.full.pdf>
26. Dohm M, Black CM, Dacre A, Tillman JB, Fueredi G, investigators K. A randomized trial comparing balloon kyphoplasty and vertebroplasty for vertebral compression fractures due to osteoporosis. *AJR Am J Neuroradiol.* 2014;35(12):2227-2236. <https://www.ncbi.nlm.nih.gov/pubmed/25300981>
<http://www.ajnr.org/content/ajnr/35/12/2227.full.pdf>
27. Kim HJ, Yi JM, Cho HG, et al. Comparative study of the treatment outcomes of osteoporotic compression fractures without neurologic injury using a rigid brace, a soft brace, and no brace: a prospective randomized controlled non-inferiority trial. *J Bone Joint Surg Am.* 2014;96(23):1959-1966.
<https://www.ncbi.nlm.nih.gov/pubmed/25471910>
28. McConnell CT, Jr., Wippold FJ, 2nd, Ray CE, Jr., et al. ACR appropriateness criteria management of vertebral compression fractures. *J Am Coll Radiol.* 2014;11(8):757-763.
<https://www.ncbi.nlm.nih.gov/pubmed/24935074>
[https://www.jacr.org/article/S1546-1440\(14\)00216-6/fulltext](https://www.jacr.org/article/S1546-1440(14)00216-6/fulltext)
29. Chang X, Lv YF, Chen B, et al. Vertebroplasty versus kyphoplasty in osteoporotic vertebral compression fracture: a meta-analysis of prospective comparative studies. *Int Orthop.* 2015;39(3):491-

500. <https://www.ncbi.nlm.nih.gov/pubmed/25260399>
<https://link.springer.com/article/10.1007%2Fs00264-014-2525-5>
30. Edidin AA, Ong KL, Lau E, Kurtz SM. Morbidity and Mortality After Vertebral Fractures: Comparison of Vertebral Augmentation and Nonoperative Management in the Medicare Population. *Spine (Phila Pa 1976)*. 2015;40(15):1228-1241. <https://www.ncbi.nlm.nih.gov/pubmed/26020845>
31. Rzewuska M, Ferreira M, McLachlan AJ, Machado GC, Maher CG. The efficacy of conservative treatment of osteoporotic compression fractures on acute pain relief: a systematic review with meta-analysis. *Eur Spine J.* 2015;24(4):702-714. <https://www.ncbi.nlm.nih.gov/pubmed/25725810>
<https://link.springer.com/article/10.1007%2Fs00586-015-3821-5>
32. Wang H, Sribastav SS, Ye F, et al. Comparison of Percutaneous Vertebroplasty and Balloon Kyphoplasty for the Treatment of Single Level Vertebral Compression Fractures: A Meta-analysis of the Literature. *Pain Physician.* 2015;18(3):209-222. <https://www.ncbi.nlm.nih.gov/pubmed/26000665>
33. Clark W, Bird P, Gonski P, et al. Safety and efficacy of vertebroplasty for acute painful osteoporotic fractures (VAPOUR): a multicentre, randomised, double-blind, placebo-controlled trial. *Lancet.* 2016;388(10052):1408-1416. <https://www.ncbi.nlm.nih.gov/pubmed/27544377>
[https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(16\)31341-1/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(16)31341-1/fulltext)
34. Evans AJ, Kip KE, Brinjikji W, et al. Randomized controlled trial of vertebroplasty versus kyphoplasty in the treatment of vertebral compression fractures. *J Neurointerv Surg.* 2016;8(7):756-763.
<https://www.ncbi.nlm.nih.gov/pubmed/26109687>
<https://jnis.bmjjournals.org/content/8/7/756.long>
35. Hirsch JA, Chandra RV, Pampati V, Barr JD, Brook AL, Manchikanti L. Analysis of vertebral augmentation practice patterns: a 2016 update. *J Neurointerv Surg.* 2016;8(12):1299-1304.
<https://www.ncbi.nlm.nih.gov/pubmed/27799375>
36. Leali PT, Solla F, Maestretti G, Balsano M, Doria C. Safety and efficacy of vertebroplasty in the treatment of osteoporotic vertebral compression fractures: a prospective multicenter international randomized controlled study. *Clin Cases Miner Bone Metab.* 2016;13(3):234-236.
<https://www.ncbi.nlm.nih.gov/pubmed/28228788>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5318178/pdf/234-236.pdf>
37. Wang B, Guo H, Yuan L, Huang D, Zhang H, Hao D. A prospective randomized controlled study comparing the pain relief in patients with osteoporotic vertebral compression fractures with the use of vertebroplasty or facet blocking. *Eur Spine J.* 2016;25(11):3486-3494.
<https://www.ncbi.nlm.nih.gov/pubmed/26850264>
<https://link.springer.com/article/10.1007%2Fs00586-016-4425-4>
38. Yang EZ, Xu JG, Huang GZ, et al. Percutaneous Vertebroplasty Versus Conservative Treatment in Aged Patients With Acute Osteoporotic Vertebral Compression Fractures: A Prospective Randomized Controlled Clinical Study. *Spine (Phila Pa 1976)*. 2016;41(8):653-660.
<https://www.ncbi.nlm.nih.gov/pubmed/26630417>
39. Yuan WH, Hsu HC, Lai KL. Vertebroplasty and balloon kyphoplasty versus conservative treatment for osteoporotic vertebral compression fractures: A meta-analysis. *Medicine (Baltimore).* 2016;95(31):e4491. <https://www.ncbi.nlm.nih.gov/pubmed/27495096>
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4979850/pdf/medi-95-e4491.pdf>
40. Parreira PCS, Maher CG, Megale RZ, March L, Ferreira ML. An overview of clinical guidelines for the management of vertebral compression fracture: a systematic review. *Spine J.* 2017;17(12):1932-1938.
<https://www.ncbi.nlm.nih.gov/pubmed/28739478>
[https://www.thespinejournalonline.com/article/S1529-9430\(17\)30495-3/fulltext](https://www.thespinejournalonline.com/article/S1529-9430(17)30495-3/fulltext)
41. Rodriguez AJ, Fink HA, Mirigian L, et al. Pain, Quality of Life, and Safety Outcomes of Kyphoplasty for Vertebral Compression Fractures: Report of a Task Force of the American Society for Bone and Mineral Research. *J Bone Miner Res.* 2017;32(9):1935-1944.
<https://www.ncbi.nlm.nih.gov/pubmed/28513888>
<https://onlinelibrary.wiley.com/doi/pdf/10.1002/jbm.3170>
42. Tsoumakidou G, Too CW, Koch G, et al. CIRSE Guidelines on Percutaneous Vertebral Augmentation. *Cardiovasc Interv Radiol.* 2017;40(3):331-342. <https://www.ncbi.nlm.nih.gov/pubmed/28105496>
<https://link.springer.com/content/pdf/10.1007%2Fs00270-017-1574-8.pdf>
43. UpToDate- Osteoporotic thoracolumbar vertebral compression fractures: Clinical manifestations and treatment. 2018; <https://www.uptodate.com/contents/osteoporotic-thoracolumbar-vertebral-compression-fractures-clinical-manifestations-and-treatment>

- [treatment?search=vertebroplasty&source=search_result&selectedTitle=1~19&usage_type=default&display_rank=1%23H17476846#H1565673](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10000000/).
44. Beall DP, Chambers MR, Thomas S, et al. Prospective and Multicenter Evaluation of Outcomes for Quality of Life and Activities of Daily Living for Balloon Kyphoplasty in the Treatment of Vertebral Compression Fractures: The EVOLVE Trial. *Neurosurgery*. 2018. <https://www.ncbi.nlm.nih.gov/pubmed/29547939>
 45. Bernardo WM, Anhesini M, Buzzini R, Brazilian Medical A. Osteoporotic vertebral compression fracture - Treatment with kyphoplasty and vertebroplasty. *Rev Assoc Med Bras (1992)*. 2018;64(3):204-207. <https://www.ncbi.nlm.nih.gov/pubmed/29641781> <http://www.scielo.br/pdf/ramb/v64n3/0104-4230-ramb-64-03-0204.pdf>
 46. Buchbinder R, Johnston RV, Rischin KJ, et al. Percutaneous vertebroplasty for osteoporotic vertebral compression fracture. *Cochrane Database Syst Rev*. 2018;4:CD006349. <https://www.ncbi.nlm.nih.gov/pubmed/29618171>
 47. Chandra RV, Maingard J, Asadi H, et al. Vertebroplasty and Kyphoplasty for Osteoporotic Vertebral Fractures: What Are the Latest Data? *AJNR Am J Neuroradiol*. 2018;39(5):798-806. <https://www.ncbi.nlm.nih.gov/pubmed/29170272> <http://www.ajnr.org/content/ajnr/39/5/798.full.pdf>
 48. Davies E. No more vertebroplasty for acute vertebral compression fractures? *BMJ*. 2018;361:k1756. <https://www.ncbi.nlm.nih.gov/pubmed/29743282> <https://www.bmjjournals.org/content/361/bmj.k1756.long>
 49. Firantescu CE, de Vries J, Lodder P, et al. Vertebroplasty versus sham procedure for painful acute osteoporotic vertebral compression fractures (VERTOS IV): randomised sham controlled clinical trial. *BMJ*. 2018;361:k1551. <https://www.ncbi.nlm.nih.gov/pubmed/29743284> <https://www.bmjjournals.org/content/bmjj/361/bmj.k1551.full.pdf>
 50. Hirsch JA, Beall DP, Chambers MR, et al. Management of vertebral fragility fractures: A clinical care pathway developed by a multispecialty panel using the RAND/UCLA Appropriateness Method. *Spine J*. 2018. <https://www.ncbi.nlm.nih.gov/pubmed/30096377> [https://www.thespinejournalonline.com/article/S1529-9430\(18\)31084-2/pdf](https://www.thespinejournalonline.com/article/S1529-9430(18)31084-2/pdf)
 51. Hoshino M, Takahashi S, Yasuda H, et al. Balloon Kyphoplasty Versus Conservative Treatment for Acute Osteoporotic Vertebral Fractures with Poor Prognostic Factors: Propensity-Score-Matched Analysis Using Data From Two Prospective Multicenter Studies. *Spine (Phila Pa 1976)*. 2018. <https://www.ncbi.nlm.nih.gov/pubmed/29958202>
 52. Jing Z, Dong J, Li Z, Nan F. Single balloon versus double balloon bipediculare kyphoplasty: a systematic review and meta-analysis. *Eur Spine J*. 2018. <https://www.ncbi.nlm.nih.gov/pubmed/29923019> <https://link.springer.com/article/10.1007%2Fs00586-018-5631-z>
 53. Minamide A, Maeda T, Yamada H, et al. Early versus delayed kyphoplasty for thoracolumbar osteoporotic vertebral fractures: The effect of timing on clinical and radiographic outcomes and subsequent compression fractures. *Clin Neurol Neurosurg*. 2018;173:176-181. <https://www.ncbi.nlm.nih.gov/pubmed/30149305>
 54. Ong KL, Beall DP, Frohbergh M, Lau E, Hirsch JA. Were VCF patients at higher risk of mortality following the 2009 publication of the vertebroplasty "sham" trials? *Osteoporos Int*. 2018;29(2):375-383. <https://www.ncbi.nlm.nih.gov/pubmed/29063215> <https://link.springer.com/article/10.1007%2Fs00198-017-4281-z>
 55. Xiang GH, Tong MJ, Lou C, Zhu SP, Guo WJ, Ke CR. The Role of Unilateral Balloon Kyphoplasty for the Treatment of Patients with OVCFS: A Systematic Review and Meta-Analysis. *Pain Physician*. 2018;21(3):209-218. <https://www.ncbi.nlm.nih.gov/pubmed/29871365>
 56. Clarke BL, Khosla S. Is It Time to Stop (or Pause) Vertebral Augmentation? *J Bone Miner Res*. 2019;34(1):1-2. <https://www.ncbi.nlm.nih.gov/pubmed/30677182> <https://onlinelibrary.wiley.com/doi/pdf/10.1002/jbmr.3651>
 57. Ebeling PR, Akesson K, Bauer DC, et al. The Efficacy and Safety of Vertebral Augmentation: A Second ASBMR Task Force Report. *J Bone Miner Res*. 2019;34(1):3-21. <https://www.ncbi.nlm.nih.gov/pubmed/30677181> <https://onlinelibrary.wiley.com/doi/pdf/10.1002/jbmr.3653>
 58. Tatangelo G, Watts J, Lim K, et al. The Cost of Osteoporosis, Osteopenia, and Associated Fractures in Australia in 2017. *J Bone Miner Res*. 2019. <https://www.ncbi.nlm.nih.gov/pubmed/30615801> <https://onlinelibrary.wiley.com/doi/abs/10.1002/jbmr.3640>